## **Appendix for Mac Users**

1. Installing the application

2. After confirming your computer has successfully passed the system check you are ready to download the application by clicking the icon at the top of the system check page, "ProProctor App". This will detect that the computer is running on a Mac OS and will download the "ProProctorSetup.dmg" file which is exclusively for installation on a Mac based OS:



3. Next, locate the "ProProctorSetup.dmg" file in the "Downloads" folder.



4. Click on "ProProctorSetup.dmg" file to execute the application installation. A dialogue box will open to show the progress of the installation process.



5. From there, another window will open. You will need to move (drag) the "ProProctor" application icon over to the "Applications folder".



6. Next, adjust the computer settings to allow the ProProctor application to run on your computer. If you try to open the application without applying the following changes in System Preferences, you will be presented with the following dialogue prompt. ProProctor is pending app store and notarized developer status approval. To adjust this setting, go to System Preferences > Security & Privacy.



7. Once in the "Security & Privacy" section, click on the padlock symbol on the bottom left of the "Security & Privacy" section as shown below. After you click on the padlock symbol, you will be prompted to enter your local username and password to make system changes. Next, select "Allow apps downloaded from: App Store and identified developers" and click on "Open Anyway". Another prompt will open, select "Open".

Control & Private     Control & Private	warbegin	System Prefere	word to allow this.	A login baseword has r	Security & Privacy Privack Reynold Privacy etitions set for this user Set Privacy et I ennodusty () therafesports withen the screen is bolling Tori time to tage	ord . rean sever begins
Allow apport development from 		Allow apps develoaded from: Critical datase - Alloy data and start that datase		A low spps downloads App Store	d hano dano'i led devet kaparis	
"Profine ter" was blocked from sas because it is not from an ipentified developer	Cpain Anyway	"ProProcifor" was blocked from use be identified developer.	cause it is not from an Epen Anyway		ked from use because it is not from an	Срат Атуми
Cick file lock to rive changes.	Moved . 1 (2)	🙆 administra.	surveyed	Click the lock to prevent 1	etia chargas.	Advanced .

7a. Click on the Firewall tab and Turn the Firewall off.



7b. If the company does not allow the Firewall to be turned off, then click on Firewall Options button and ensure that the system is allowing incoming connections for the ProProctor application.

DHCP and IPSec.	ept those required for basic internet services, such a	£.
Control Centre	<ul> <li>Allow incoming connections</li> </ul>	. 8
o.github.pd4d10.debugtron	Allow incoming connections	
Microsoft Teams	Allow incoming connections	. 6
ProProctor	Allow incoming connections	
Safari	<ul> <li>Allow incoming connections</li> </ul>	2
Screen Sharing	<ul> <li>Allow incoming connections</li> </ul>	
+	ware to receive incoming connections	
mana sa	ware to receive incoming connections d signed software to receive incoming connect	tions
Automatically allow downloaded		tions
Automatically allow downloaded Allows software signed by a valid ce	d signed software to receive incoming connect	tions

7c. Next go to the Privacy tab to add accessibility rules for ProProctor.

7d. In the left panel select Camera, then on the right side check the ProProctor app.



7e. In the left panel select Accessibility, then on the right side check the ProProctor app.



 Lastly, return to the web browser and go to <u>https://rpcandidate.prometric.com/</u>.
 If you are ready to take your exam, click on the link at the top of the page called the "Launch Exam" as shown below:

